LUBRICANTS

MOTOR OIL

- SILVERGRADE SAE 5W30
- SILVERGRADE SAE 5W40
- HYPERGRADE SAE 10W40
- SUPERGRADE SAE 20W50
- MONOGRADE SAE 40



SILVERGRADE

FULL SYNTHETIC MOTOR OIL SAE 5W30 • API SN

Description:

Tanker Silvergrade is a range of high performance full synthetic engine oils formulated using modern additive technology and high quality virgin base oils to meet current specifications and provide advanced protection for modern passenger cars.

Properties:

- Protects engine from wear.
- Excellent engine cleanliness.
- Reduced deposits and sludges.
- Suitable for year-round use.

Packaging:



SILVERGRADE

FULL SYNTHETIC MOTOR OIL SAE 5W40 • API SN

Description:

Tanker Silvergrade is a range of high performance full synthetic engine oils formulated using modern additive technology and high quality virgin base oils to meet current specifications and provide advanced protection for modern passenger cars.

Properties:

- Protects engine from wear.
- Excellent engine cleanliness.
- Reduced deposits and sludges.
- Suitable for year-round use.

Packaging:



HYPERGRADE

SEMI SYNTHETIC MOTOR OIL SAE 10W-40 • API SM/CF

Description:

Tanker Hypergrade is a range of high performance semi synthetic engine oils formulated using conventional additive technology and high quality virgin base oils to meet the requirements of existing vehicles and provide protection for modern passenger cars.

Properties:

- Protects engine from wear
- Excellent engine cleanliness.
- Reduced deposits and sludges.
- Suitable for year-round use.

Packaging:

Box of 1 Liter x 12. Box of 4 Liters x 4.



SUPERGRADE

SEMI SYNTHETIC MOTOR OIL SAE 20W-50 • API SL/CF

Description:

Tanker Supergrade is a range of high performance semi synthetic engine oils formulated using conventional additive technology and high quality virgin base oils to meet the requirements of existing vehicles and provide protection for modern passenger cars.

Properties:

- Protects engine from wear.
- Protects against rust and corrosion.
- Deposit control maintains engine cleanliness.
- Suitable for year-round use.

Packaging:



MONOGRADE

MOTOR OIL HEAVY DUTY SAE 40 • API SL/CF

Description:

Tanker Monograde is a range of mineral based mono-grade engine lubricants formulated using standard additive technology and high quality virgin base oils to meet the specifications. Tanker Monograde is recommended for use in petrol and diesel engines of passenger cars and light commercial vehicles.

Properties:

- Protects engine from wear.
- Protects against rust and corrosion.
- Deposit control maintains engine cleanliness.
- Suitable for year-round use.

Packaging:



AUTOMATIC TRANSMISSION FLUID

- TRANSMATIC DEXRON III
- TRANSMATIC-H DEXRON-III-H



TRANSMATIC

AUTOMATIC TRANSMISSION FLUID ATF – DEXRON III – FULL SYNTHETIC

Description:

Tanker Transmatic is a full synthetic automatic transmission fluid for use in automatic transmissions and torque converters of passenger cars, light commercial vehicles and power steering when the manufacturer requires an Automatic Transmission Fluid DEXRON III.

Properties:

- Exceptional low temperature fluidity.
- Effective frictional characteristics for smooth shifting.
- Seal compatibility for rust and corrosion protection.
- Compatible with new technology components.

Packaging:



TRANSMATIC-H

AUTOMATIC TRANSMISSION FLUID ATF – DEXRON III-H – FULL SYNTHETIC

Description:

Tanker Transmatic-H is a full synthetic automatic transmission fluid particularly formulated and developed for the most modern automatic transmission gears on heavy duty vehicles, power steering, hydraulic systems, converters & similar applications. Tanker Transmatic-H is designed for new generation, electronically controlled transmissions.

Properties:


- Excellent thermal and oxidation stability.
- Excellent viscosity stability.
- Protection against wear, corrosion and foaming.
- Compatible with new technology components.

Packaging:



GEAR OIL – HEAVY DUTY

- HYPOIDGRADE SAE 90
- HYPOIDGRADE SAE 140



HYPOIDGRADE

GEAR OIL – HEAVY DUTY SAE 90 • API GL-4

Description:

Tanker Hypoidgrade is a high quality monograde gear lubricant blended from mineral base oils with selected additives. It is suitable for manual gearboxes, transmissions, differentials, hypoid gears of passenger cars and commercial vehicles.

Properties:

- Excellent service in heavy duty trucks and buses.
- Protects against rust and corrosion.
- Good lubrication at low temperatures.
- Good oxidation and thermal stability.

Packaging:

Box of 1 Liter x 12. Pail of 20 Liters..





HYPOIDGRADE

GEAR OIL – HEAVY DUTY SAE 140 • API GL-4

Description:

Tanker Hypoidgrade is a high quality monograde gear lubricant blended from mineral base oils with selected additives. It is suitable for manual gearboxes, transmissions, differentials, hypoid gears of passenger cars and commercial vehicles.

Properties:

- Excellent service in heavy duty trucks and buses.
- Protects against rust and corrosion.
- Good lubrication at low temperatures.
- Good oxidation and thermal stability.

Packaging:

Box of 1 Liter x 12. Pail of 20 Liters..





TANIAET DIESEL MOTOR OIL

- FLEETMASTER SAE 15W40
- FLEETMASTER SAE 20W50
- POWERGRADE SAE 40



FLEETMASTER

SEMI SYNTHETIC DIESEL MOTOR OIL SAE 15W40 • API CI-4

Description:

Tanker Fleetmaster is a range of multigrade semi synthetic diesel engine oils for heavy duty diesel engines. Formulated using modern additive technology and high quality virgin base oils to meet current specifications and provide complete protection for all new and old generation engines.

Properties:

- Protects engine from wear.
- Protects against corrosion.
- Reduces piston deposits.
- Reduces oil consumption.

Packaging:

Box of 1 Liter x 12. Pail of 25 Liters..





FLEETMASTER

SEMI SYNTHETIC DIESEL MOTOR OIL SAE 20W50 • API CI-4

Description:

Tanker Fleetmaster is a range of multigrade semi synthetic diesel engine oils for heavy duty diesel engines. Formulated using modern additive technology and high quality virgin base oils to meet current specifications and provide complete protection for all new and old generation engines.

Properties:

- Protects engine from wear.
- Protects against corrosion.
- Reduces piston deposits.
- Reduces oil consumption.

Packaging:

Pail of 25 Liters.



POWERGRADE

DIESEL MOTOR OIL SAE 40 • API CD/SF

Description:

Tanker Powergrade is a range of monograde diesel engine oils for automotive and commercial use. Formulated using updated additive technology and high quality virgin base oils to meet older specifications and provide reliable protection for light trucks, vans and other vehicles operating under moderate condit

Properties:

- Protects engine from wear.
- Protects against corrosion.
- Reduces piston deposits.
- Reduces oil consumption. .

Packaging:

Pail of 25 Liters.





HYDRAULIC OIL

HYDROFLUID – ISO VG-68



HYDROFLUID

HYDRAULIC OIL ISO VG-68

Description:

Tanker Hydrofluid is a range of high performance hydraulic oils formulated using advanced additive technology and recommended for use in all kind of hydraulic systems and equipments operating under heavy loads, pressure and temperature.

Properties:

- Anti-wear properties.
- Anti-foam properties.
- Protects against rust and corrosion.
- Protects against sludge and oxidation. .

Packaging:

Pail of 20 Liters.



2-CYCLE & 4 CYCLE MOTOR OIL

POWERMAX – 2-CYCLE MOTOR OIL – TC-W3



POWERMAX

2-CYCLE MOTOR OIL TC-W3 MULTI-PURPOSE

Description:

Tanker Powermax is suitable for use in most 2-cycle gasoline engines such as outboard motors, motorcycles, scooters, snowmobiles, chain saws, weed cutters, air blowers, lawn mowers, light plants, snow blowers. Powermax is designed for both oil injection and pre-mix lubrication, as per manufacturers' instructions, up to a fuel/oil ratio of 100:1.

Properties:


- Excellent wear protection.
- Good thermal and oxidation stability.
- Excellent corrosion protection properties.
- Protects against piston and cylinder scuffing.

Packaging:



TANKER ANTI-FREEZE & COOLANT

RADCOOL – ANTI-FREEZE & COOLANT



RADCOOL

ANTI-FREEZE & COOLANT 100% CONCENTRATED

Description:

Tanker Radcool is recommended for use in the cooling systems of petrol and diesel engines all year round. Tanker Radcool contains ethylene glycol and selected chemical additives and should be diluted with water before use as per user requirements.

Properties:

- Protects against rust and corrosion.
- Efficient lubrication of water pumps.
- Reduced maintenance.
- Prevent winter freezing and summer overheating.

Packaging:

Box of 1 Liter x 12. Pails of 20 Liters.



TANIXIER GREASE

LUBRIMAX – CALCIUM GREASE – MP-EP3



LUBRIMAX

CALCIUM GREASE – MULTI PURPOSE – EP3

Description:

Tanker Lubrimax EP-3 is a multi-purpose calcium grease, formulated for lubrication of loaded slide, ball, roller-bearings, wheel bearings, universal joints, chassis and various shock loaded or vibrating applications in transport, agriculture and off-road equipment, operating in wet, dusty and/or dry conditions and suitable as general purpose grease for industrial applications requiring a NLGI-3 grade extreme pressure grease.

Properties:

- Protection against rust and corrosion.
- Good lubricating performance.
- Resistant to water.
- Good thermal and mechanical stability

Packaging:

Pails of 15 Kgs..



CARE CARE

WINDYGRADE – WINDSHIELD WASHER

WINDYGRADE

WINDSHIELD WASHER FLUID

Description:

Tanker Windygrade windshield washer fluid is specially formulated to remove road grime and bugs, trees sap and traffic film.

Application:

Add content of bottle to one gallon of water. Pour solution in car's windshield container and use all year round specially in freezing temperatures as it prevents solution from freezing.

Packaging:

Box of 500 ml x 12.

